


MECHANICAL WATCHES PARTS CATALOG



66-1
(Catalog No.)

66-2
(Catalog No.)

660※・6650

- Automatic winding watch with a center second
- Day, date indication
- Quick date setting

Thickness: 5.5mm

6651

- Automatic winding watch with a center second
- Day, date indication
- Quick date setting
- Bilingual day indication


Thickness: 5.5mm


690※・695※

- Automatic winding watch with a center second
- Date indication
- Quick date setting

Thickness: 5.2mm

Size	φ19.4mm
Beats	28,800





Catalog No. 66-2

Parts No.	Name of parts	Caliber No.		6650	6650	6651	6950	6950						
		Nos. of jewels		17A	21A	21A	17A	21A						
063	Winding pinion		20	—	—	—	—	—						
064	Clutch wheel		21	—	—	—	—	—						
065	Winding stem (Full-screwed)		104	—	—	—	—	—						
065	Winding stem		117	—	—	—	—	—						
067	Setting lever		142	—	—	—	—	—						
071	Yoke		22	—	—	—	—	—						
902	Yoke spring		26	—	—	—	—	—						
072	Minute wheel and pinion		34	—	—	—	—	—						
014	Cannon pinion		73	—	—	—	—	—						
075	Hour wheel		183	—	—	—	—	—						
076	Setting wheel		27	—	—	—	—	—						
077	Setting lever spring		39	—	—	—	—	—						
079	Minute wheel guard		25	—	—	—	—	—						
178	Day dial gib		09	—	—	—	—	—						
713	Date dial guard		070(036)	—	083	—	071	—						
100	Intermediate date wheel		20	—	—	—	—	—						
103	Date dial driving wheel		75	—	83	—	75	—						
109	Date jumper		42	—	—	—	—	—						
116	Date corrector		13	—	—	—	—	—						
117	Date corrector guard		13	—	—	—	—	—						
271	Date corrector lever		09	—	—	—	—	—						
923	Case screw		14	—	—	—	—	—						
929	Screw for setting lever spring		08	—	—	—	—	—						
929	Screw for minute wheel guard		—	—	—	—	—	—						
922	Screw for date dial guard		62	—	—	—	—	—						
922	Date corrector screw		—	—	—	—	—	—						
929	Screw for date corrector guard		08	—	—	—	—	—						
928	Dial screw		15	—	—	—	—	—						
094	(PS) Lower cap jewel, mounted		24	—	—	—	—	—						
098	(PS) Lower spiral spring with jewel		04	—	—	—	—	—						
091	(PS) Lower end-piece		48	—	—	—	—	—						

